

Synchronized solutions for better 2-D electrophoresis - improved 2-D DIGE

2-D Fluorescence Difference Gel Electrophoresis




How 2-D DIGE can help you


2-D DIGE is a platform for the analysis of differential protein expression. When you want to detect and analyze differences or changes in protein levels/expression between complex protein samples, 2-D DIGE combines confidence with reproducibility to give dependable results.

The Ettan™ DIGE System consists of:

- CyDye™ DIGE fluors for protein labeling
- Imager (Typhoon™ or Ettan DIGE Imager) for image capture
- DeCyder™ 2-D Differential Analysis Software for image analysis



Compared to conventional 2-D electrophoresis, 2-D DIGE delivers:





Coefficient of variation (CV) in six replicate 2-D gels of the same sample vs. spot number, ranked by spot CV. Detection of spots by either SYPRO Ruby or CyDye DIGE fluor minimal labeling. Data courtesy of Jörgen Östling, AstraZeneca R&D Mölndal, Sweden.

- an internal standard that virtually eliminates experimental gel-to-gel variation. No technical replicates need to be run to confirm differences in protein abundance
- increased throughput and significantly reduced analysis time and cost (pre-labeling of samples instead of post-staining of gels)
- dependable analysis results with far fewer 2-D gels (multiplexing two samples per gel with only biological replicates needed)
- detection of the smallest possible real differences in protein expression with unparalleled statistical confidence


Identification of differences in protein expression Without 2-D DIGE

Large gel-to-gel
variation



Six replicate gels

Small gel-to-gel
variation




Many technical replicate
gels required due to high
gel-to-gel variation

Time-consuming post-
staining of gels required

Low confidence level on
detected differences

Time wasted chasing
false positives

Identification of differences in protein expression With 2-D DIGE



Allows detection of up to three pre-labeled protein samples on the same 2-D gel.

Multiplexed analysis enables analysis of multiple samples using the same 2-D electrophoresis conditions on the same 2-D gel, which minimizes experimental variation and ensures accurate within-gel matching.

High confidence level in detected differences

Identification of true differences

In sample 1, the left protein spot (green) is expressed, but not the protein spot to the right (red). In sample 2, the reverse is true.

Praise for 2-D DIGE

"Without the benefit of the internal standard, 42 of these proteins would have been overlooked due to variation between normal and tumor samples ... compared with individual DIGE comparisons made within a single 2-D gel."

Friedman, D. B. *et al.* Proteome analysis of human colon cancer by two-dimensional difference gel electrophoresis and mass spectrometry. *Proteomics* **4**, 793–811 (2004).



2-D DIGE received the Frost & Sullivan Award for Technology Innovation 2007 with this motivation

"GE's Ettan DIGE System is capable of comparing protein expression patterns from two different samples in a single gel. This information is crucial in the search for biomarkers that may change in expression levels during the initiation or progression of a disease from one phenotype to a more malignant phenotype."

The need to isolate and identify these protein biomarkers that appear or fail to appear is likely to also influence the way patients' treatment protocols are determined."

Sample preparation for 2-D DIGE


Sample preparation	Code No.	Description
2-D Protein Extraction Buffer Trial Kit	28-9434-22	Contains each of the six extraction buffers, to screen for the most appropriate extraction buffer for your sample
2-D Protein Extraction Buffer-I	28-9434-23	Ready-to-mix buffer for efficient cell lysis and protein extraction. Note: This buffer is not compatible with CyDye DIGE minimal dyes
2-D Protein Extraction Buffer-II	28-9434-24	Ready-to-mix buffer for efficient cell lysis and protein extraction
2-D Protein Extraction Buffer-III	28-9434-25	Ready-to-mix buffer for efficient cell lysis and protein extraction. Note: This buffer is not compatible with CyDye DIGE saturation dyes
2-D Protein Extraction Buffer-IV	28-9434-26	Ready-to-mix buffer for efficient cell lysis and protein extraction. Note: This buffer is not compatible with CyDye DIGE saturation dyes
2-D Protein Extraction Buffer-V	28-9434-27	Ready-to-mix buffer for efficient cell lysis and protein extraction
2-D Protein Extraction Buffer-VI	28-9434-28	Ready-to-mix buffer for efficient cell lysis and protein extraction
Sample Grinding Kit	80-6483-37	The mechanical breaking up of cells or tissue releasing the total protein content
2-D Clean-Up Kit	80-6484-51	Removal of interfering contaminants and concentration of total protein
Protease Inhibitor Mix	80-6501-23	Protease inhibitor cocktail
Nuclease Mix	80-6501-42	Cocktail of nucleases for the removal of DNA and RNA from the protein sample
Albumin and IgG Removal Kit	RPN6300	Removal of albumin and IgG from a human serum sample, spin format
2-D Quant Kit	80-6483-56	Quantitation of the protein amount in denaturing buffers
Tris	17-1321-01	Suitable for preparing electrophoresis buffer in the pH range 7.2 to 9.0
Urea	17-1319-01	Solubilizes and unfolds most proteins to their fully random conformation
Thiourea	RPN6301	Chaotrope, used together with urea in the IPG strip rehydration solution
CHAPS	17-1314-01	A zwitterionic detergent commonly used in IEF
Iodoacetamide	RPN6302	For efficient alkylation of thiols
SDS	17-1313-01	Ionic detergent used to solubilize proteins
PlusOne DTT	17-1318-01	Reducing agent included in the sample solution to break disulfide bonds and maintain all proteins in their fully reduced state

CyDye labeling

CyDye fluors, see page 9		
Dimethylformamide (DMF)	Sigma Aldrich 22,705-6	Anhydrous DMF; should be replaced with fresh bottle every 3 months
L-lysine (only minimal)	Sigma L5626	Only when minimal labeling is performed. Quenches the minimal labeling reaction
TCEP Tris-2-carboxyethyl phosphine hydrochloride (only saturation)		Only when saturation labeling is performed. Reduces disulfide bonds prior to saturation labeling on cysteines

See also the Protein Sample Preparation cards, 29-9330-95

Overview of the 2-D DIGE analytical workflow



Set up the experimental design. Choose the sample pair (1 and 2) and pooled sample (1+2) to run on the same gel, and allocate a CyDye DIGE fluor to label each sample.

Prepare the samples. Protein samples 1 and 2 and an internal standard (pooled, 1+2) are each labeled with one CyDye DIGE fluor. The labeled samples are then combined before analyzing by 2-D electrophoresis.

Perform first- and second-dimension gel electrophoresis


Perform image acquisition

Perform image analysis

The subsequent goal is to identify the protein(s) of interest through protein spot picking, digestion, and mass spectrometry. 2-D DIGE ensures that real differences between the samples are identified.

For further information, see *Ettan DIGE System User Manual, 18-1173-17*

CyDye fluors for 2-D DIGE



CyDye DIGE fluor labeling	Code No.	Description
CyDye DIGE fluor minimal dyes		Minimal labeling procedure
CyDye DIGE Kit, 2 nmol	28-9345-30	For initial trial or scouting studies. All three dyes (Cy [™] 2, Cy3, and Cy5) in one kit Sufficient for five labelings with each dye
DIGE Trial Pack: CyDye DIGE Kit, 2 nmol + DeCyder 1-month trial license	28-9373-73	For initial trial or scouting studies Sufficient for five labelings with each dye
CyDye DIGE Fluor, minimal labeling kit, 5 nmol	25-8010-65	All three dyes in one kit. Enough for a small study with up to 12 labelings with each dye
CyDye DIGE Cy2, 5 nmol	25-8010-82	Enough for a small study with up to 12 labelings
CyDye DIGE Cy3, 5 nmol	25-8010-83	Enough for a small study with up to 12 labelings
CyDye DIGE Cy5, 5 nmol	25-8010-85	Enough for a small study with up to 12 labelings
CyDye DIGE Cy2, 10 nmol	25-8008-60	For experiments with a limited number of variables, up to 25 labelings. Repackaged in 2 × 5 nmol vials
CyDye DIGE Cy3, 10 nmol	25-8008-61	For experiments with a limited number of variables, up to 25 labelings. Repackaged in 2 × 5 nmol vials
CyDye DIGE Cy5, 10 nmol	25-8008-62	For experiments with a limited number of variables, up to 25 labelings. Repackaged in 2 × 5 nmol vials
CyDye DIGE Cy2, 25 nmol	RPK0272	Suitable for larger experimental set-ups with several variables, up to 60 labelings. Repackaged in 5 × 5 nmol vials
CyDye DIGE Cy3, 25 nmol	RPK0273	Suitable for larger experimental set-ups with several variables, up to 60 labelings. Repackaged in 5 × 5 nmol vials
CyDye DIGE Cy5, 25 nmol	RPK0275	Suitable for larger experimental set-ups with several variables, up to 60 labelings. Repackaged in 5 × 5 nmol vials
CyDye DIGE fluor saturation dyes		For saturated labeling of small sample amounts or precious samples
CyDye DIGE Fluor Labeling Kit for Scarce Samples	25-8009-83	For labeling of up to 25 reactions (5 µg protein each). Two dyes in one kit (100 nmol Cy3 sat dye and 100 nmol Cy5 sat dye)
CyDye DIGE Fluor Labeling Kit for Scarce Samples and Preparative Gel Labeling	25-8009-84	For labeling of 25 analytical reactions and preparative labeling of up to 500 µg protein (100 nmol Cy3 sat dye, 100 nmol Cy5 sat dye, and 400 nmol Cy3 sat dye)
CyDye DIGE Fluor Preparative Gel Labeling for Scarce Samples	28-9366-83	For preparative labeling of up to 500 µg protein (400 nmol Cy3 sat dye)

First-dimension isoelectric focusing (IEF)




Etan IPGphor™ 3



IPGbox, IPGbox Kit, Immobiline™
DryStrip gels (precast IPG strip
gels), and IPG Buffers

First-dimension isoelectric focusing (IEF)	Code No.	Description
Ettan IPGphor 3 Isoelectric Focusing Unit	11-0033-64	Unit to run first dimension (IEF)
IPGphor Manifold, Complete	80-6498-38	For the most stringent applications. Exceptionally uniform thermal characteristics.
IPGphor Manifold Light	11-0026-88	Routine applications. Easy to handle and extremely robust.
Immobiline DryStrip gels, 24 cm IMPROVED quality	various	Precast gel for first-dimension IEF
Immobiline DryStrip gels, 18 cm IMPROVED quality	various	Precast gel for first-dimension IEF
Immobiline DryStrip gels, 13 cm IMPROVED quality	various	Precast gel for first-dimension IEF
Immobiline DryStrip gels, 11 cm IMPROVED quality	various	Precast gel for first-dimension IEF
Immobiline DryStrip gels, 7 cm IMPROVED quality	various	Precast gel for first-dimension IEF
IPG Buffers, including IMPROVED IPG Buffer pH 3-10 and pH 3-10 NL	various	Used with Immobiline DryStrip gels to improve protein solubility
IPGbox	28-9334-65	Rehydrates up to 12 Immobiline DryStrip gels
IPGbox Kit	28-9334-92	Contains 10 disposable Reswell Trays and one disposable Insert
DeStreak Rehydration Solution	17-6003-19	Improves reproducibility and quality of 2-D gels, and helps prevent streaking. Recommended for IPG strips with a pH above 7, when cup loaded
DeStreak Reagent	17-6003-18	Add DeStreak Reagent to your own rehydration buffer

Second-dimension electrophoresis



DALTwelve Gel Caster



Ettan DALSix Electrophoresis Unit



Ettan DALTwelve Electrophoresis Unit




DIGE Gel and DIGE Buffer Kit

Second-dimension SDS-PAGE	Code No.	Description
DIGE Gel	28-9374-51	Precast polyacrylamide gel in a low fluorescent glass cassette
DIGE Buffer Kit	28-9374-52	Specially designed two-buffer system for running up to twelve DIGE Gels simultaneously
Low-fluorescence Glass Plates, 27 × 21 cm (including spacers)	80-6475-58	Suitable for DIGE and other fluorescent samples
Ettan DALTwelve Separation Unit and Power Supply/Control Unit, 115V	80-6466-46	Runs up to 12 gels simultaneously, enabling separation of 24 DIGE samples in one run. 115V model
Ettan DALTwelve Separation Unit and Power Supply/Control Unit, 230V	80-6466-27	Runs up to 12 gels simultaneously, enabling separation of 24 DIGE samples in one run. 230V model
DALTwelve Gel Caster, complete	80-6467-22	For casting up to 14 gels simultaneously
Ettan DALTsix Electrophoresis Unit, 115V	80-6485-08	Runs up to six gels simultaneously, enabling separation of 12 DIGE samples in one run. 115V model
Ettan DALTsix Electrophoresis Unit, 220V	80-6485-27	Runs up to six gels simultaneously, enabling separation of 12 DIGE samples in one run. 220V model
EPS 601 Power Supply	18-1130-02	Power supply for DALTsix Electrophoresis Unit
MultiTemp™ III Thermostatic Circulator, 115V	18-1102-77	A temperature control unit for external, closed electrophoresis equipment, 115V
MultiTemp III Thermostatic Circulator, 230V	18-1102-78	A temperature control unit for external, closed electrophoresis equipment, 230V
DALTsix Gel Caster, complete	80-6485-46	For casting up to six gels simultaneously
Equilibration tubes (quantity=12)	80-6467-79	For equilibrating IPG strips prior to second dimension
PlusOne Acrylamide IEF 40% Solution	17-1301-01	Convenient solution, virtually eliminating the risk of acrylamide dust in the air
PlusOne N,N'- Methylenebisacrylamide	17-1304-02	General cross-linker used with acrylamide for polyacrylamide gels
ReadySol IEF 40% T, 3% C	17-1310-01	Ensures a reproducible solution composition (includes cross-linker)
PlusOne TEMED	17-1312-01	Catalyst for the polymerization of acrylamide when used with ammonium persulfate
PlusOne Ammonium Persulfate	17-1311-01	Initiator for polymerization of acrylamide
PlusOne Glycine	17-1323-01	Frequently used in electrophoresis buffers
Bromophenol Blue	17-1329-01	An electrophoresis tracking dye
PlusOne Glycerol	17-1325-01	For displacing and equilibration solutions

Imaging and analysis of 2-D DIGE gels



Typhoon 9410



DeCyder 2-D



Ettan DIGE Imager

Image acquisition

	Code No.	Description
Typhoon Trio™ with ImageQuant™ TL and PC	63-0055-88	Three-color (red 633 nm, green 532 nm, and blue 488 nm) laser lines for excitation. Scanner for fluorescent applications, autoradiography, and chemiluminescence. 25 µm spatial resolution. Can also be ordered without PC
Typhoon Trio+ with ImageQuant TL and PC	63-0055-90	Same as above, but with 10 µm spatial resolution
Typhoon 9400 with ImageQuant TL and PC	63-0055-79	Four-color (red 633 nm, green 532 nm, blue 488 and 457 nm) laser lines for excitation. Scanner for fluorescent applications, autoradiography, and chemiluminescence. 25 µm spatial resolution. Can also be ordered without PC
Typhoon 9410 with ImageQuant TL and PC	63-0055-81	Same as above, but with 10 µm spatial resolution
Ettan DIGE Imager	63-0056-42	Imager for fluorescent applications

Image analysis

DeCyder 2-D Differential Analysis software package v7.0	28-9435-83	Dedicated software for full analysis of 2-D DIGE data, including extended data analysis and warping
DeCyder 2-D 7.0 Oracle 10gR2	28-9435-88	Database for five network users
DeCyder 2-D 7.0	28-9442-75	One network user license

Products for preparative work



Ettan Digester




Ettan Spot Picker

Protein handling	Code No.	Description
Ettan Spot Picker	18-1145-28	Automatically picks selected protein spots from fluorescently labeled or stained gels
Ettan Digester	18-1142-68	Automatic in-gel digestion of proteins from 2-D gel plugs

Post staining	Code No.	Description
Deep Purple™ Total Protein Stain	RPN6306	Rapid, ultra sensitive fluorescent total protein stain

Second-dimension SDS-PAGE	Code No.	Description
Reference markers	18-1143-34	White stickers for attaching to low-fluorescent glass plates to enable accurate spot picking. Two sheets, 560 markers/sheet
PlusOne Bind-silane	17-1330-01	Used to covalently attach polyacrylamide gels to a glass surface

Products for validation



ImageQuant Security



ECL Plex™



ImageQuant TL

Protein labeling and detection	Code No.	Description
ECL Plex Western Blotting Combination Pack (Cy3, Cy5, Hybond ECL)	RPN998	ECL Plex fluorescently labeled: goat- α -mouse IgG-Cy3, goat- α -rabbit IgG-Cy5, and Rainbow Markers. Hybond ECL, 10 × 10 cm, 10 sheets and protocol. Sufficient for at least 1000 cm ² of membrane
ECL Plex Western Blotting Combination Pack (Cy3, Cy5, Hybond-LFP)	RPN999	ECL Plex fluorescently labeled: goat- α -mouse IgG-Cy3, goat- α -rabbit IgG-Cy5, and Rainbow Markers. Hybond-LFP, 20 × 20 cm, 3 sheets and protocol. Sufficient for at least 1000 cm ² of membrane
ECL Plex Fluorescent Rainbow Markers, 120 μ l	RPN850E	Protein molecular weight markers optimized for use with ECL Plex Western Blotting Detection System. Sufficient for 50 samples
ECL Plex Fluorescent Rainbow Markers, 500 μ l	RPN851E	Protein molecular weight markers optimized for use with ECL Plex Western Blotting Detection System. Sufficient for 200 samples

Image analysis of 1-D gels and blots	Code No.	Description
ImageQuant TL SecurITy Software package (with CD + Getting started)	28-9380-94	Installation software only, does not include a license. Includes ImageQuant TL as standard. 1-D gel and blot analysis in an enhanced data security environment. Allows full data control and traceability
ImageQuant TL SecurITy Single User License	28-9332-73	License for one user of ImageQuant TL SecurITy
ImageQuant TL SecurITy Site License, 1 additional license	28-9377-35	License for one additional user of ImageQuant TL SecurITy
Upgrade from ImageQuant TL to ImageQuant TL SecurITy, 1-User License	28-9377-80	Upgrade an existing ImageQuant TL license to an ImageQuant TL SecurITy license
ImageQuant TL 1-User License 7.0	28-9236-62	Routine 1-D gel and blot quantitative analysis. License for one user of ImageQuant TL
ImageQuant TL 5-User License 7.0	28-9206-39	License for 5 users of ImageQuant TL
ImageQuant TL 10-User License 7.0	28-9236-57	License for 10 users of ImageQuant TL

For local office contact information, visit
www.gelifesciences.com/contact

GE Healthcare Bio-Sciences AB
Björkgatan 30
751 84 Uppsala
Sweden

www.gelifesciences.com/2DE



imagination at work

GE, imagination at work, and GE Monogram are trademarks of General Electric Company.

Cy, CyDye, DeCyder, Deep Purple, ECL Plex, Ettan, ImageQuant, Immobilin, IPGphor, MultiTemp, Typhoon, and Typhoon Trio are trademarks of GE Healthcare companies.

All third party trademarks are the property of their respective owners.

2-D Fluorescence Difference Gel Electrophoresis (2-D DIGE) technology is covered by US patent numbers 6,043,025, 6,127,134 and 6,426,190 and equivalent patents and patent applications in other countries and exclusively licensed from Carnegie Mellon University. CyDye: this product or portions thereof is manufactured under an exclusive license from Carnegie Mellon University under US patent numbers 5,569,587, 5,627,027 and equivalent patents in other countries. The purchase of CyDye DIGE Fluors includes a limited license to use the CyDye DIGE Fluors for internal research and development, but not for any commercial purposes. A license to use the CyDye DIGE Fluors for commercial purposes is subject to a separate license agreement with GE Healthcare.

The cyanine dyes in the product are manufactured under an exclusive license from Carnegie Mellon University under US patent numbers 5,268,486 and equivalent patents in the US and other countries.

The purchase of CyDye products includes a limited license to use the CyDye products for internal research and development but not for any commercial purposes. A license to use the CyDye products for commercial purposes is subject to a separate license agreement with GE Healthcare. Commercial use shall include:

1. Sale, lease, license or other transfer of the material or any material derived or produced from it.
2. Sale, lease, license or other grant of rights to use this material or any material derived or produced from it.
3. Use of this material to perform services for a fee for third parties, including contract research and drug screening.

If you require a commercial license to use this material and do not have one, return this material unopened to GE Healthcare Bio-Sciences AB, Björkgatan 30, SE-751 84 Uppsala, Sweden and any money paid for the material will be refunded.

DIGE Gel and DIGE Buffer Kit: The buffer system in this gel and buffer kit is covered by patent application WO9616724 granted in US, EP and JP.

DeCyder: This release of DeCyder (software) is provided by GE Healthcare to the customer under a nonexclusive license and is subject to terms and conditions set out in the 2-D Differential Gel Electrophoresis Technology Access Agreement. Customer has no rights to copy or duplicate or amend the Software without the prior written approval of GE Healthcare.

Deep Purple Total Protein Stain is exclusively licensed to GE Healthcare from Fluorotronics Pty Ltd. Deep Purple Total Protein Stain may only be used for applications in life science research. Deep Purple is covered under a granted patent in New Zealand entitled "Fluorescent Compounds", patent number 522291 and equivalent patents and patent applications in other countries.

GE Healthcare Bio-Sciences AB, a General Electric Company.

©2008 -2009 General Electric Company - All rights reserved.
First published May 2008.

All goods and services are sold subject to the terms and conditions of sale of the company within GE Healthcare which supplies them. A copy of these terms and conditions is available on request. Contact your local GE Healthcare representative for the most current information.

GE Healthcare UK Limited
Amersham Place, Little Chalfont, Buckinghamshire, HP7 9NA, UK

GE Healthcare Europe, GmbH
Munzinger Strasse 5, D-79111 Freiburg, Germany

GE Healthcare Bio-Sciences Corp.
800 Centennial Avenue, P.O. Box 1327, Piscataway, NJ 08855-1327, USA

GE Healthcare Bio-Sciences KK
Sanken Bldg., 3-25-1, Hyakunincho Shinjuku-ku, Tokyo 169-0073, Japan